

EPURE TRIRL MODELS





NEW PERTURES EPURE 2020



FAAME

Initially developed for competition, Electric Motion chooses to provide its standard model with a high-end frame made of 15CDV6 steel tubes and micro fused pieces in 25CD4S. The frame itself weighs less than 5kg.

All conditions are there to live a breathtaking experience



The new Electric Motion battery pack is more efficient than ever. Its new, last generation BMS (Battery Management System) guarantees the best performance in use and in time. The new battery pack is more compact, lighter, removable and has a 30% longer operating life. It will make you wonder who will be exhausted first: your battery or yourself.






DESIGN

The art of distinguishing itself, with a line and completely new colors, the Epure is more daring and elegant.

With clean details and an original line cut with a scalpel, you have understood the Epure heals his style, his signature.





DIAPHAAGM CLUTCH

(On Epure Race)

The Epure Race model is equipped with a diaphragm clutch with a hydraulic control, made for competition. The engine flywheel coupled with a set of different balancing weights allows several inertia settings.

Essential system for the high-level competitors, here is what will make them clear the highest obstacles, with a perfect control.

FORK

(On Epure Sport and Epure Race)

It is one of the most performing forks on the market. This new generation fork, extra-light (weighing 1.5kg less), from the brand M4 Racing Part, has already been tested and approved by the best ...

The M4 Racing Part fork is equipped with new extra light CNC triple clamps.





ERGONOMICS RNO TECHNOLOGIES

The new cockpit gives you all the information you need with only the blink of an eye. Ergonomic map control, remaining battery life on display (in %) for even more riding comfort.



EPURE LITE 2020

The Epure Lite is the standard model of the Epure family, but it does benefit of all its technology.

The Lite is good for all those who want to practice trial or ride off-road, with a silent motorbike that requires zero maintenance.

Private individuals, training schools or off-road centers, the Epure Lite will please a large crowd of enthusiasts.



MAX SPEED

RANGE

WEIGHT

TORQUE

ROAD LEGAL

65 км/н 43 км 73 кв 600 nm 125 смз







FRAME 15CDV6
FRONT BRAKES Brake disc 182 mm 4 pistons
REAR BRAKES Brake disc 150 mm 2 pistons
FRONT RIM Morad Trial 1.6"x21
REAR RIM Morad Trial 2.15"x18
TIRES Michelin X11

FRONT SUSPENSIONS Tech
FRONT SUSPENSION TRAVEL 175 mm
REAR SUSPENSION TRAVEL 170 mm

BATTERY

ENERGY

VOLTAGE

CAPACITY

WEIGHT

CHARGER

CHARGING TIME

LIFE CYCLE

MINI CHARGING TEMPERATURE

LI-ion

50,4 V

1875 Wh

10.5 kg

15 A

3h20

1000

ENGINE

NOMINAL POWER 6 KW PEAK POWER 11 KW

DIMENSIONS

 SEAT WEIGHT
 670 mm

 WHEEL BASE
 1325 mm

 GROUND CLEARANCE
 320 mm

 FOOTREST HEIGHT
 360 mm

 WIDTH
 825 mm

SERIES EQUIPMENT

MAPS 3

OPTIONS

OPTIONS

PRB / PELS Trial training maps Flywheel Charger 25A (2h15)



EPURE SPORT 2020

Designed for competitors, the Epure Sport is pure performance...

Power, battery lifetime, torque, speed, weight... the Sport model has never been that improved before.

The Epure Sport proves that an electric motorcycle can be as performing as the best combustion-powered ones. Without any compromise.



MAX SPEED

RANGE

WEIGHT

TORQUE

ROAD LEGAL

65 км/н 43 км 70 кв 600 nm 125 cm3







 FRAME
 15CDV6

 FRONT BRAKES
 Brake disc 182 mm 4 pistons

 REAR BRAKES
 Brake disc 150 mm 2 pistons

 FRONT RIM
 Morad Trial 1.6"x21

 REAR RIM
 Morad Trial 2.15"x18

 TIRES
 Michelin X11

 FRONT SUSPENSIONS
 M4

FRONT SUSPENSION TRAVEL 175 mm
REAR SUSPENSION RIGV
REAR SUSPENSION TRAVEL 170 mm

BATTERY

 ENERGY
 Li-ion

 VOLTAGE
 50,4 V

 CAPACITY
 1875 Wh

 WEIGHT
 10.5 kg

 CHARGER
 15 A

 CHARGING TIME
 3h20

 LIFE CYCLE
 1000

 MINI CHARGING TEMPERATURE
 0°C

ENGINE

NOMINAL POWER 6 KW PEAK POWER 11 KW

DIMENSIONS

 SEAT WEIGHT
 670 mm

 WHEEL BASE
 1325 mm

 GROUND CLEARANCE
 320 mm

 FOOTREST HEIGHT
 360 mm

 WIDTH
 825 mm

SERIES EQUIPMENT

MAPS 3
PELS / PRB Yes

OPTIONS

OPTIONS LE

LED kit Trial training maps Flywheel Charger 25A (2h15)



EPURE RRCE 2020

This is the first homologated electric trial motorcycle ever sold equipped with a diaphragm clutch. Imagine one of the lightest trial motorcycles on the market, add the torque of an electric powertrain and finally a high performance diaphragm clutch...

The Epure Race has no limit... except for its pilot's.



MAX SPEED

RANGE

WEIGHT

TORQUE

ROAD LEGAL

65км/н

43км

72kg

600 мм 125 смз







 FRAME
 15CDV6

 FRONT BRAKES
 Brake disc 182 mm 4 pistons

 REAR BRAKES
 Brake disc 150 mm 2 pistons

 FRONT RIM
 Morad Trial 1.6"x21

 REAR RIM
 Morad Trial 2.15"x18

 TIRES
 Michelin X11

 FRONT SUSPENSIONS
 M4

FRONT SUSPENSION TRAVEL 175 mm
REAR SUSPENSION RIGV
REAR SUSPENSION TRAVEL 170 mm

BATTERY

 ENERGY
 Li-ion

 VOLTAGE
 50,4 V

 CAPACITY
 1875 Wh

 WEIGHT
 10.5 kg

 CHARGER
 15 A

 CHARGING TIME
 3h20

 LIFE CYCLE
 1000

 MINI CHARGING TEMPERATURE
 0°C

ENGINE

NOMINAL POWER 6 KW PEAK POWER 11 KW

DIMENSIONS

 SEAT WEIGHT
 670 mm

 WHEEL BASE
 1325 mm

 GROUND CLEARANCE
 320 mm

 FOOTREST HEIGHT
 360 mm

 WIDTH
 825 mm

SERIES EQUIPMENT

SERIES EQUIPMENT

Hydraulic controlled diaphragm clutch Flywheel

OPTIONS

OPTIONS

LED kit Trial training maps Charger 25A (2h15)



FUTURE IS ON







TRIAL | HIKING MODEL ESCAPE





NEW FERTURES ESCRPE 2020



FAAME

Initially developed for competition, Electric Motion chooses to provide its standard model with a high-end frame made of 15CDV6 steel tubes and micro fused pieces in 25CD4S. The frame itself weighs less than 5kg.

All conditions are there to live a breathtaking experience

BATTERY

The new Electric Motion battery pack is more efficient than ever. Its new, last generation BMS (Battery Management System) guarantees the best performance in use and in time. The new battery pack is more compact, lighter, removable and has a 60% longer operating life. It will make you wonder who will be exhausted first: your battery or yourself.





DESIGN

The art of distinguishing itself, with a line and completely new colors, the Escape is more daring and elegant.

With clean details and an original line cut with a scalpel, you have understood the Escape heals his style, his signature.



ERGONOMICS AND TECHNOLOGIES

The new cockpit gives you all the information you need with only the blink of an eye.

Ergonomic map control, remaining battery life on display (in %)

for even more riding comfort.





rels/raa

- PELS (Progressive Electronic Lever Switch):

Progressive switch that simulates electronically a clutch. Very useful and efficient, it gives a better control of the power and allows turning it off very quickly (safety and efficiency).

- PRB (Progressive Regenerative Brake):

Enables the use of an electric and progressive brake, which charges the battery while in use. On top of that, this system brings a comfortable security on the hard slopes, while avoiding the brakes overheating

ON RORD KIT

The new on road kit consists of a new head light and a new license plate holder. This new on road kit has a new design, more compact and robust for Off Road use.





ESCAPE 2020

The Escape is the perfect bike to ride off-road from Electric Motion.

Extend your boundaries and discover new horizons with the capabilities and performances of the new Escape. With this brand new model, the adventure is now pushed to the extreme.

Reach across the borders and live the adventure with the Escape.



MAX SPEED

70км/н

RANGE

61км

WEIGHT

TORQUE

77кв 450мм 125смз

ROAD LEGAL







15CDV6 FRAME Brake disc 182 mm 4 pistons **FRONT BRAKES** Brake disc 150 mm 2 pistons **REAR BRAKES** FRONT RIM Morad Trial 1.6"x21 Morad Trial 2.15"x18 REAR RIM TIRES Michelin XII FRONT SUSPENSIONS Tech 175 mm FRONT SUSPENSION TRAVEL REAR SUSPENSION R16V

170 mm

BATTERY

REAR SUSPENSION TRAVEL

 ENERGY
 Li-ion

 VOLTAGE
 50,4 V

 CAPACITY
 2620 Wh

 WEIGHT
 14 kg

 CHARGER
 15 A

 CHARGING TIME
 4h15

 LIFE CYCLE
 1000

 MINI CHARGING TEMPERATURE
 0°C

ENGINE

NOMINAL POWER 6 KW PEAK POWER 11 KW

DIMENSIONS

 SEAT WEIGHT
 820 mm

 WHEEL BASE
 1325 mm

 GROUND CLEARANCE
 320 mm

 FOOTREST HEIGHT
 360 mm

 WIDTH
 825 mm

SERIES EQUIPMENT

MAPS 3 PELS / PRB Yes

OPTIONS

OPTIONS

LED kit Trial training maps Flywheel Charger 25A (2h15)



FUTURE IS ON









2020 AANGE TECHNICAL SHEET

	EPURE LITE 2020	EPURE SPORT 2020	EPURE RRCE 2020	2020
DATA SHEET				
Top speed Range Weight Brakes Tires Front suspension Rear suspension	65 km/h 100-240 min (43 km 73 kg 180 mm -142 mm Michelin X11 Tech R16V	65 km/h) 100-240 min (43 km) 70 kg 180 mm - 142 mm Michelin X11 M4 R16V	65 km/h 100-240 min (43 km) 71 kg 180 mm - 142 mm Michelin X11 M4 R16V	75 km/h 160-290 min (61 km) 77 kg 180 mm - 142 mm Michelin X11 Tech R16V
BATTERY				
Energy Voltage Capacity Weight Charger Charging time Mini charging temperatur	Li-ion 50,4 V 1875 Wh 10.5 kg 15 A 3h20 e 0°C	Li-ion 50,4 V 1875 Wh 10.5 kg 15 A 3h20 0°C	Li-ion 50,4 V 1875 Wh 10.5 kg 15 A 3h20 0°C	Li-ion 50,4 V 2620 Wh 14 kg 15 A 4h15 0°C
ELECTRIC MOTOR				
Wheel torque Nominal power Peak power	600 Nm 6 Kw 11 Kw	600 Nm 6 Kw 11 Kw	600 Nm 6 Kw 11 Kw	450 Nm 6 Kw 11 Kw
DIMENSIONS				
Seat weight Wheel base Ground clearance	670 mm 1325 mm 320 mm	670 mm 1325 mm 320 mm	670 mm 1325 mm 320 mm	810 mm 1325 mm 320 mm
HOMOLOGATION	L3e-A1T - Euro 5	L3e-A1T - Euro 5	L3e-A1T - Euro 5	L3e-A1T - Euro 5
MAPS	3	3	3	3
STANDARD EQUIPMENT	-	PRB / PELS	Hydraulic controlled diaphragm clutch Flywheel	PRB / PELS
	PRB PELS Trial training maps Flywheel Charger 25 A (2h15)	LED kit Trial training maps Flywheel Chargeur 25 A (2h15)	LED kit Trial training maps Charger 25 A (2h15)	LED kit Trial training maps Flywheel Charger 25 A (2h15)

*Top speed and range vary based on riding style and drivetrain configuration.



2020 AANGE AETAIL PAICES

Please find below our 2020 prices.
All our models are raod legal in Europe.

	Off road	Road legal (EU)
epuae		
LITE	5990,00 €	6260,00 €
<i>SPOAT</i>	7180,00 €	7320,00 €
ance .	7750,00 €	7890,00 €
escape	7590,00 €	7730,00 €

Price do not include transport, packing, packaging & taxes.
Prices at June 3rd, 2019.



CONTACT

ELECTRIC MOTION

ZAC Via Domitia 280 Rue du Trident 34740 Vendargues, FRANCE

www.electric-motion.fr info@electric-motion.fr

Office: +33 (0)4 67 41 10 90 Mobile: +33 (0)6 87 54 95 64

Follow us on:







Attention this brochure contains photos taken on private land and f or abroad.

Use of these vehicles in a similar environment in your jurisdiction may be prohibited

by the legislation and f or regulations in force in your area, including by Article L.362-1 and following the Code of the Environment.

The photos do not contain any contractual nature and the potential buyer of this vehicle will remain solely responsible for the use of the vehicles, as well as for the respect of the legislation and regulation in force.

Do not litter.